


NEONTM
TILE



Experience
of natural surface...

Mfg. & Exporter Of :

- ▶ Wall Tiles
- ▶ Floor Tiles
- ▶ Vitrified Tiles
- ▶ Sanitary Wares

**HEAVY DUTY
VITRIFIED TILES
400x400MM**



About Us..

We are very pleased to interact with you and will introduce ourselves as a manufacturer of vitrified tiles by our brand. LANFORD CERAMIC PVT. LTD. and proudly providing the finest quality of vitrified tiles to our valued customers. We know very well that There is no short cut to the path of success and accordingly, we worked very hard to give quality products combined with innovation in designs to our customers, and as a result, we are having finest range of vitrified tiles in 400x400mm.

Quality and Innovation always speaks and to get better result, our R & D team continuously working in our in-house Lab to insure each and every raw material is at par of what we need for final product. There is nothing permanent in this world except CHANGE and change & progress is part of all organizations. So as another step towards innovation and progress, we are very pleased to inform you that, we are also providing Outdoor vitrified Tiles Our unique range in vitrified tiles 400x400mm .

Hence, we cordially invite you to join the "Lanford family", and be part of our success and prosperity; we know, we together can achieve anything, so let's join hands to share the success and prosperity. We promise you for the finest product and best service from our end. For further information and assistance, please feel free to contact/mail.

Thanking you and waiting for your prompt response.


Resist
The Stains


Resist
The Flexion


Dimension
Stability


Anti
Slip


Low Water
Absorption


Resist
The Wear


SLIP
RESISTANT


Suitable for
vehicle

MIST

PRISM


BENZENE

CORIA

STONEX


extera
Collection


extera
Collection


HEAVYDUTY
VITRIFIED TILES
400 x 400 mm

EMBELLISHED 
WITH STYLE & **STRENGTH**



12mm Thickness



**SPLASH
OF STYLE
FOR YOUR
OUTDOOR
OASIS !**

Thickness
12mm



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption



Resist
The Wear



SLIP
RESISTANT



Suitable for
vehicle

Size
400x400mm

Surface
(Matt)

Thickness
12mm




3601-MIST NATURAL



3602-MIST COTTO



3603-MIST BLACK



3604-MIST BLUE



3605-MIST SKY



3606-MIST DIAMOND

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview
3601
MIST NATURAL

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm



3607-MIST COFFICE



3608-MIST BROWN



3609-MIST GREY

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



3610-MIST BROMA



3611-MIST LIGHT



3612-MIST MARIO



Preview
3610
MIST BROMA

Size
400x400mm


Surface
(Matt)

Thickness
12mm


Size
400x400mm

Surface
(Matt)


Thickness
12mm




3701-PRISM BROWN




3702-PRISM COCA




3703-PRISM COFFICE



3704-PRISM GREY



3705-PRISM STONE



3706-PRISM SMOKE

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview
3701
PRISM BROWN

Size
400x400mm


Surface
(Matt)

Thickness
12mm


Size
400x400mm

Surface
(Matt)


Thickness
12mm



3707-PRISM MULTY



3708-PRISM AQUA




3709-PRISM KASMIRI


-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle




3710-PRISM BLACK



3711-PRISM WOODEN



3712-PRISM STAR



Preview
3708
PRISM AQUA

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)


Thickness
12mm




3801-BENZENE PHENOL




3802-BENZENE TOLUENE




3803-BENZENE SPIN



3804-BENZENE BROMA



3805-BENZENE GRIS



3806-BENZENE GREY

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview
3802
BENZENE
TOLUENE

Size
400x400mm


Surface
(Matt)

Thickness
12mm


Size
400x400mm

Surface
(Matt)

Thickness
12mm




3807-BENZENE BROWN




3808-BENZENE CRIS



3809-BANZENE CRAFT


-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



3810-BENZENE MULTY



3811-BENZENE KNEE



3812-BENZENE GREEN



Preview
3808
BENZENE CRIS

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm



3901-CORIA ASH




3902-CORIA ARENA




3903-CORIA CREMA

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



3904-CORIA REDIVORY



3905-CORIA CEDAR



3906-CORIA NERO



Preview
3904
CORIA REDIVORY

Size
400x400mm


Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)


Thickness
12mm





3907-CORIA GREY



3908-CORIA PALE



3909-CORIA WOOD


-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



3910-CORIA CEMENT



3911-CORIA BISCUIT



3912-CORIA MIX



Preview
3908
CORIA PALE

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm



4001-STONEX ORANGE



4002-STONEX BLUE



4003-STONEX BROWN







4004-STONEX GRIS



4005-STONEX NATURAL



4006-STONEX COFFICE

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview
4003
STONEX BROWN

Size
400x400mm

Surface
(Matt)

Thickness
12mm


Size
400x400mm

Surface
(Matt)


Thickness
12mm




4007-STONEX MIX



4008-STONEX STONE



4009-STONEX WHITE



4010-STONEX DOT



4011-STONEX PANDA



4012-STONEX GREEN

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle













Preview
4007
STONEX MIX

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Mixed Laying Suggestions



TECHNICAL SPECIFICATION

PARTICULARS	STANDARD AS PER ISO 13006/EN 176	LANFORD VALUE	METHOD OF TESTING
PHYSICAL PROPERTIES			
Dimension	±0.1 %	±0.1 %	IS 13630-1
Deviation in Thickness	±5 %	±5 %	IS 13630-1
Straightness of sides	±0.1 %	±0.1 %	IS 13630-1
Rectangularity	±0.1 %	±0.1 %	IS 13630-1
Surface flatness	±0.5 %	±0.5 %	IS 13630-1
Surface Quality	95 % of tiles shall be free from visible defects	95 % of tiles shall be free from visible defects	IS 13630-1
CHEMICAL PROPERTIES			
Water Absorption (%)	Avg 0.08<E≤3, Individual 3.3 Max	<0.5 %	IS 13630-2
MOR (N/mm ²)	Avg 30, Individual 27 Min	Avg 30, Individual 27 Min	IS 13630-6
Breaking Strength (N)	700, Min for Thickness<7.5 mm 1100, Min for Thickness≥7.5 mm	Min 1100 N	IS 13630-6
Scratch Hardness	Min 5	Min 5	IS 13630-13
Crazing Resistance	4 cycles at 7.5 bar	No Crazing	IS 13630-9
THERMAL PROPERTIES			
Staining Resistance	class 1, Min	Resistant	IS 13630-8
House Hold chemicals	Class AA, Min	Resistant to household Chemicals except Hydrofluoric Acid	IS 13630-8
Thermal shock Resistance	Resistant to 10 Cycles	Confirms	IS 13630-5
Thermal Expansion	7x10 ⁻⁶ K ⁻¹ Max	7x10 ⁻⁶ K ⁻¹ Max	IS 13630-4

PACKING DETAILS

SIZE	THICKNESS
400x400 mm	12 mm
TILES PER BOX	COVERAGE PER BOX
5 Pcs.	0.80 Sq. Mtr.
BOX WEIGHT (APPROX)	
18 kg	

PALLET DETAILS

SIZE
400x400 mm
NO. OF BOX PER PALLET
72
SQ. MTR. PER PALLET
57.60

CONTAINER DETAILS

SIZE
400x400 mm
NO. OF PALLET IN 20' CONTAINER
21
NO. OF BOX IN 20' CONTAINER
1512
SQ.MTR. IN 20' CONTAINER
1209.6



NEON TILE LLP

Corp. Office : G24, Siromany Business Center, B/h. Real Plaza,
8-A National Highway, Morbi-363 641. (Guj.) INDIA.

Call : +91 82382 31831

E : info@neontile.in

W : www.neontile.in

Follow Us :

