


**NEON**<sup>TM</sup>  
TILE



**Experience**  
of natural surface...

**Mfg. & Exporter Of :**

- ▶ Wall Tiles
- ▶ Floor Tiles
- ▶ Vitrified Tiles
- ▶ Sanitary Wares

**HEAVY DUTY  
VITRIFIED TILES  
400x400MM**



## About Us..

We are very pleased to interact with you and will introduce ourselves as a manufacturer of vitrified tiles by our brand. LANFORD CERAMIC PVT. LTD. and proudly providing the finest quality of vitrified tiles to our valued customers. We know very well that There is no short cut to the path of success and accordingly, we worked very hard to give quality products combined with innovation in designs to our customers, and as a result, we are having finest range of vitrified tiles in 400x400mm.

Quality and Innovation always speaks and to get better result, our R & D team continuously working in our in-house Lab to insure each and every raw material is at par of what we need for final product. There is nothing permanent in this world except CHANGE and change & progress is part of all organizations. So as another step towards innovation and progress, we are very pleased to inform you that, we are also providing Outdoor vitrified Tiles Our unique range in vitrified tiles 400x400mm .

Hence, we cordially invite you to join the "Lanford family", and be part of our success and prosperity; we know, we together can achieve anything, so let's join hands to share the success and prosperity. We promise you for the finest product and best service from our end. For further information and assistance, please feel free to contact/mail.

Thanking you and waiting for your prompt response.

  
Resist  
The Stains

  
Resist  
The Flexion

  
Dimension  
Stability

  
Anti  
Slip

  
Low Water  
Absorption

  
Resist  
The Wear

  
SLIP  
RESISTANT

  
Suitable for  
vehicle

**STAR**

**HARWEST**

**AMIS**

**RUVINA**


**EBRIL**

  
**extera**  
*Collection*

  
extera  
Collection

  
**HEAVYDUTY**  
VITRIFIED TILES  
400 x 400 mm

**EMBELLISHED**   
**WITH STYLE** & **STRENGTH**



**12mm** Thickness

**SPLASH  
OF STYLE  
FOR YOUR  
OUTDOOR  
OASIS !**

Thickness  
**12mm**



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption



Resist  
The Wear



SLIP  
RESISTANT




Suitable for  
vehicle


Size  
**400x400mm**

Surface  
**(Matt)**


Thickness  
**12mm**




4101-STAR CHOCO




4102-STAR COFFICE




4103-STAR WENGE



4104-STAR ZIGZAM



4105-STAR PLUS



4106-STAR COAL

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview  
**4101**  
**STAR CHOCO**

Size  
**400x400mm**


Surface  
**(Matt)**

Thickness  
**12mm**


Size  
**400x400mm**

Surface  
**(Matt)**


Thickness  
**12mm**




4107-STAR MOON




4108-STAR MULTY




4109-STAR BLUE



4110-STAR GOLD



4111-STAR AQUA



4112-STAR GREEN



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption



Resist  
The Wear



SLIP  
RESISTANT



Suitable for  
vehicle





Preview  
**4111**  
**STAR AQUA**

Size  
**400x400mm**


Surface  
**(Matt)**

Thickness  
**12mm**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



4201-HARWEST GREY




4202-HARWEST BLUE



4203-HARWEST GRIS



4204-HARWEST MULTI



4205-HARWEST AQUA



4206-HARWEST CHIPES

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview  
**4201**  
**HARWEST GREY**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**


Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



4207-HARWEST BLACK




4208-HARWEST BRISK



4209-HARWEST STONE

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



4210-HARWEST BEIGE



4211-HARWEST NATURAL



4212-HARWEST GREEN



Preview  
**4207**  
**HARWEST BLACK**

Size  
**400x400mm**


Surface  
**(Matt)**

Thickness  
**12mm**


Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**




4301-AMIS DESIRE




4302-AMIS GOAL




4303-AMIS HOPE







4304-AMIS INTENT




4305-AMIS LUST



4306-AMIS MARK

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview  
**4301**  
**AMIS DESIRE**

Size  
**400x400mm**


Surface  
**(Matt)**

Thickness  
**12mm**


Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



4307-AMIS MOXI




4308-AMIS TARGET




4309-AMIS WISH


-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



4310-AMIS SMOK



4311-AMIS COTA



4312-AMIS ZEAL





Preview  
**4309**  
**AMIS WISH**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



4401-RUVINA FLORIDO



4402-RUVINA FORESTI




4403-RUVINA MARFILANO



4404-RUVINA SAFARI



4405-RUVINA CROTTO



4406-RUVINA GRACE

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview  
**4403**  
**RUVINA**  
**MARFILANO**

Size  
**400x400mm**


Surface  
**(Matt)**

Thickness  
**12mm**

Size  
**400x400mm**

Surface  
**(Matt)**


Thickness  
**12mm**



4407-RUVINA ALTAI




4408-RUVINA TUSK




4409-RUVINA METALLIC


-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



4410-RUVINA ARTISTRY



4411-RUVINA CINZO



4412-RUVINA BLACK



Preview  
**4410**  
**RUVINA ARTISTRY**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



4501-EBRIL SKY



4502-EBRIL BROWN



4503-EBRIL BEIGE



4504-EBRIL COFFICE



4505-EBRIL NATURAL



4506-EBRIL PINK

-   
Resist  
The Stains

  
Resist  
The Flexion
-   
Dimension  
Stability

  
Anti  
Slip
-   
Low Water  
Absorption

  
Resist  
The Wear
-   
SLIP  
RESISTANT

  
Suitable for  
vehicle



Preview  
**4504**  
**EBRIL COFFICE**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**




4507-ERBIL DARK




4508-ERBIL SMOKE




4509-ERBIL WOOD


-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



4510-ERBIL COFFICE




4511-ERBIL AQUA



4512-ERBIL GREEN





Preview  
**4508**  
**ERBIL SMOKE**

Size  
**400x400mm**


Surface  
**(Matt)**

Thickness  
**12mm**

# Mixed Laying Suggestions




● 50%  
○ 50%



● 67%  
○ 33%




● 55%  
○ 45%




● 75%  
○ 25%




● 50%  
○ 50%




● 75%  
○ 25%




● 50%  
○ 50%




● 84%  
○ 16%



● 50%  
○ 50%



● 50%  
○ 50%



● 57%  
○ 43%

# TECHNICAL SPECIFICATION

PARTICULARS	STANDARD AS PER ISO 13006/EN 176	LANFORD VALUE	METHOD OF TESTING
<b>PHYSICAL PROPERTIES</b>			
Dimension	±0.1 %	±0.1 %	IS 13630-1
Deviation in Thickness	±5 %	±5 %	IS 13630-1
Straightness of sides	±0.1 %	±0.1 %	IS 13630-1
Rectangularity	±0.1 %	±0.1 %	IS 13630-1
Surface flatness	±0.5 %	±0.5 %	IS 13630-1
Surface Quality	95 % of tiles shall be free from visible defects	95 % of tiles shall be free from visible defects	IS 13630-1
<b>CHEMICAL PROPERTIES</b>			
Water Absorption (%)	Avg 0.08<E≤3, Individual 3.3 Max	<0.5 %	IS 13630-2
MOR (N/mm <sup>2</sup> )	Avg 30, Individual 27 Min	Avg 30, Individual 27 Min	IS 13630-6
Breaking Strength (N)	700, Min for Thickness<7.5 mm 1100, Min for Thickness≥7.5 mm	Min 1100 N	IS 13630-6
Scratch Hardness	Min 5	Min 5	IS 13630-13
Crazing Resistance	4 cycles at 7.5 bar	No Crazing	IS 13630-9
<b>THERMAL PROPERTIES</b>			
Staining Resistance	class 1, Min	Resistant	IS 13630-8
House Hold chemicals	Class AA, Min	Resistant to household Chemicals except Hydrofluoric Acid	IS 13630-8
Thermal shock Resistance	Resistant to 10 Cycles	Confirms	IS 13630-5
Thermal Expansion	7x10 <sup>-6</sup> K <sup>-1</sup> Max	7x10 <sup>-6</sup> K <sup>-1</sup> Max	IS 13630-4

# PACKING DETAILS

SIZE	THICKNESS
400x400 mm	12 mm
TILES PER BOX	COVERAGE PER BOX
5 Pcs.	0.80 Sq. Mtr.
BOX WEIGHT (APPROX)	
18 kg	

# PALLET DETAILS

SIZE
400x400 mm
NO. OF BOX PER PALLET
72
SQ. MTR. PER PALLET
57.60

# CONTAINER DETAILS

SIZE
400x400 mm
NO. OF PALLET IN 20' CONTAINER
21
NO. OF BOX IN 20' CONTAINER
1512
SQ.MTR. IN 20' CONTAINER
1209.6



## NEON TILE LLP

Corp. Office : G24, Siromany Business Center, B/h. Real Plaza,  
8-A National Highway, Morbi-363 641. (Guj.) INDIA.

Call : +91 82382 31831

E : [info@neontile.in](mailto:info@neontile.in)

W : [www.neontile.in](http://www.neontile.in)

Follow Us :

