


NEONTM
TILE



Experience
of natural surface...

Mfg. & Exporter Of :

- ▶ Wall Tiles
- ▶ Floor Tiles
- ▶ Vitrified Tiles
- ▶ Sanitary Wares

**HEAVY DUTY
VITRIFIED TILES
400x400MM**



About Us..

We are very pleased to interact with you and will introduce ourselves as a manufacturer of vitrified tiles by our brand. LANFORD CERAMIC PVT. LTD. and proudly providing the finest quality of vitrified tiles to our valued customers. We know very well that There is no short cut to the path of success and accordingly, we worked very hard to give quality products combined with innovation in designs to our customers, and as a result, we are having finest range of vitrified tiles in 400x400mm.

Quality and Innovation always speaks and to get better result, our R & D team continuously working in our in-house Lab to insure each and every raw material is at par of what we need for final product. There is nothing permanent in this world except CHANGE and change & progress is part of all organizations. So as another step towards innovation and progress, we are very pleased to inform you that, we are also providing Outdoor vitrified Tiles Our unique range in vitrified tiles 400x400mm .

Hence, we cordially invite you to join the "Lanford family", and be part of our success and prosperity; we know, we together can achieve anything, so let's join hands to share the success and prosperity. We promise you for the finest product and best service from our end. For further information and assistance, please feel free to contact/mail.

Thanking you and waiting for your prompt response.



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption




Resist
The Wear



SLIP
RESISTANT



Suitable for
vehicle



AZOTICA

ROLEX

APEX

CAJA

REX




extera
Collection


extera
Collection


HEAVYDUTY
VITRIFIED TILES
400 x 400 mm

EMBELLISHED 
WITH STYLE & **STRENGTH**



12mm Thickness

**SPLASH
OF STYLE
FOR YOUR
OUTDOOR
OASIS !**

Thickness
12mm



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption



Resist
The Wear



SLIP
RESISTANT



Suitable for
vehicle


Size
400x400mm

Surface
(Matt)

Thickness
12mm



4601-AZOTICA STONE



4602-AZOTICA BROMA




4603-AZOTICA IVORY


-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



4604-AZOTICA WOOD



4605-AZOTICA BEIGE



4606-AZOTICA COFFICE



Preview
4602
AZOTICA BROMA

Size
400x400mm


Surface
(Matt)

Thickness
12mm


Size
400x400mm

Surface
(Matt)


Thickness
12mm



4607-AZOTICA NATURAL



4608-AZOTICA BLACK




4609-AZOTICA GRIS

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



4610-AZOTICA BLUE



4611-AZOTICA STAR



4612-AZOTICA GREEN



Preview
4611
AZOTICA STAR

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)


Thickness
12mm






4701-ROLEX COCO




4702-ROLEX OCEAN




4703-ROLEX CHROMA

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



4704-ROLEX FLORITA



4705-ROLEX VERDE



4706-ROLEX DEO



Preview
4705
ROLEX VERDE

Size
400x400mm


Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm



4707-ROLEX ROCK




4708-ROLEX VERDE



4709-ROLEX MATRIX


-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



4710-ROLEX MARFIL



4711-ROLEX DOVE



4712-ROLEX AZUL



Preview
4710
ROLEX MARFIL

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm



4801-APEX BROWN



4802-APEX IVORY



4803-APEX GREY



4804-APEX GRIS



4805-APEX AQUA



4806-APEX SKY



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption




Resist
The Wear



SLIP
RESISTANT



Suitable for
vehicle



Preview
4803
APEX GREY

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm



4807-APEX BLUE



4808-APEX PRIME



4809-APEX ULTRA



4810-APEX PEAK



4811-APEX CREST



4812-APEX MULTI

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview
4810
APEX PEAK

Size
400x400mm


Surface
(Matt)

Thickness
12mm


Size
400x400mm

Surface
(Matt)


Thickness
12mm




4901-CAJA BLACK



4902-CAJA WHITE




4903-CAJA BLUE



4904-CAJA SKYBLUE



4905-CAJA GREY



4906-CAJA GRIS


- 
Resist
The Stains


Resist
The Flexion
- 
Dimension
Stability


Anti
Slip
- 
Low Water
Absorption


Resist
The Wear
- 
SLIP
RESISTANT


Suitable for
vehicle



Preview
4905/4906
CAJA GREY
CAJA GRIS

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm



4907-CAJA BROWN




4908-CAJA CREMA




4909-CAJA COFFEE



4910-CAJA PINK



4911-CAJA GREEN



4912-CAJA LIGHT GREEN

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview
4909
CAJA COFFEE

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)


Thickness
12mm



4913-CAJA NATURAL



4914-CAJA COTTO



4915-CAJA SAND



4916-CAJA CASINO



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption



Resist
The Wear



SLIP
RESISTANT



Suitable for
vehicle



Preview
4914
CAJA COTTO

Size
400x400mm


Surface
(Matt)

Thickness
12mm


Size
400x400mm

Surface
(Matt)


Thickness
12mm



5001-REX NERO




5002-REX GREY



5003-REX BROWN

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle




5004-REX IVORY



5005-REX CASION



5006-REX ALTROZ



Preview
5001
REX NERO

Size
400x400mm


Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm



5007-REX CHOCO




5008-REX COFFICE



5009-REX MULTI



5010-REX SKY




5011-REX ASH



5012-REX LIGHT ASH

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview
5009
REX MULTI

Size
400x400mm


Surface
(Matt)

Thickness
12mm

Mixed Laying Suggestions




● 50%
○ 50%




● 67%
○ 33%




● 55%
○ 45%




● 75%
○ 25%




● 50%
○ 50%




● 75%
○ 25%




● 50%
○ 50%




● 84%
○ 16%



● 50%
○ 50%



● 50%
○ 50%



● 57%
○ 43%

TECHNICAL SPECIFICATION

PARTICULARS	STANDARD AS PER ISO 13006/EN 176	LANFORD VALUE	METHOD OF TESTING
PHYSICAL PROPERTIES			
Dimension	±0.1 %	±0.1 %	IS 13630-1
Deviation in Thickness	±5 %	±5 %	IS 13630-1
Straightness of sides	±0.1 %	±0.1 %	IS 13630-1
Rectangularity	±0.1 %	±0.1 %	IS 13630-1
Surface flatness	±0.5 %	±0.5 %	IS 13630-1
Surface Quality	95 % of tiles shall be free from visible defects	95 % of tiles shall be free from visible defects	IS 13630-1
CHEMICAL PROPERTIES			
Water Absorption (%)	Avg 0.08<E≤3, Individual 3.3 Max	<0.5 %	IS 13630-2
MOR (N/mm²)	Avg 30, Individual 27 Min	Avg 30, Individual 27 Min	IS 13630-6
Breaking Strength (N)	700, Min for Thickness<7.5 mm 1100, Min for Thickness≥7.5 mm	Min 1100 N	IS 13630-6
Scratch Hardness	Min 5	Min 5	IS 13630-13
Crazing Resistance	4 cycles at 7.5 bar	No Crazing	IS 13630-9
THERMAL PROPERTIES			
Staining Resistance	class 1, Min	Resistant	IS 13630-8
House Hold chemicals	Class AA, Min	Resistant to household Chemicals except Hydrofluoric Acid	IS 13630-8
Thermal shock Resistance	Resistant to 10 Cycles	Confirms	IS 13630-5
Thermal Expansion	7x10 ⁻⁶ K ⁻¹ Max	7x10 ⁻⁶ K ⁻¹ Max	IS 13630-4

PACKING DETAILS

SIZE	THICKNESS
400x400 mm	12 mm
TILES PER BOX	COVERAGE PER BOX
5 Pcs.	0.80 Sq. Mtr.
BOX WEIGHT (APPROX)	
18 kg	

PALLET DETAILS

SIZE
400x400 mm
NO. OF BOX PER PALLET
72
SQ. MTR. PER PALLET
57.60

CONTAINER DETAILS

SIZE
400x400 mm
NO. OF PALLET IN 20' CONTAINER
21
NO. OF BOX IN 20' CONTAINER
1512
SQ.MTR. IN 20' CONTAINER
1209.6



NEON TILE LLP

Corp. Office : G24, Siromany Business Center, B/h. Real Plaza,
8-A National Highway, Morbi-363 641. (Guj.) INDIA.

Call : +91 82382 31831

E : info@neontile.in

W : www.neontile.in

Follow Us :

