

# NEON

TILE

**Artistic**  
*touch*



DIGITAL  
VITRIFIED TILES

**600X1200MM**

**GLORIOUS  
SERIES**



# about us

NEON TILE LLP is one of the leading of all type ceramic tile Wall tiles providing an extensive range of tile decor options for both residential and commercial interiors.

We believe in values of - "innovation, Quality Products and Customer Satisfaction".

Product Range: Digital Vitrified Tiles





These offered range of tiles find applications in Residential & Commercial complexes, IT Parks, Hotels & Restaurants, Airports, Hospitals as well as other housing constructions and restoration of existing structures.

Backed with advanced & sophisticated state-of-the-art infrastructure facility, we are well-equipped with latest designing & manufacturing amenities. This also facilitates us in persistently improving every aspect of our operations.

Further, we lay prime emphasis on the human factors occupied in our business.



# ARCANE BLACK







Size : 600 X 1200 MM

Surface : Glorious Series

Random : 5

# BLACK FUSION



Size : 600 X 1200 MM

Surface : Glorious Series

Random : 3

# BLACK GALAXY







Size : 600 X 1200 MM

Surface : Glorious Series

Random : 4

# BLACK PORTORO






Size : 600 X 1200 MM

Surface : Glorious Series

Random : 3

# CLASSIC ARMANI BLACK






Size : 600 X 1200 MM

Surface : Glorious Series

Random : 4

# DAZZEL BLACK






Size : 600 X 1200 MM

Surface : Glorious Series

Random : 5



# DORATO NERO







Size : 600 X 1200 MM

Surface : Glorious Series

Random : 5

# EMERALD BLUE






Size : 600 X 1200 MM

Surface : Glorious Series

Random : 2

# FOSSILA BLACK




Size : 600 X 1200 MM

Surface : Glorious Series

Random : 4

# GOLDEN BLACK






Size : 600 X 1200 MM

Surface : Glorious Series

Random : 4

# ICE BLACK



Size : 600 X 1200 MM

Surface : Glorious Series

Random : 4

# MANDALA CLASSIC




Size : 600 X 1200 MM

Surface : Glorious Series

Random : 5

# MARMI AQUA





Size : 600 X 1200 MM

Surface : Glorious Series

Random : 4

# MARQUINA BLACK





Size : 600 X 1200 MM

Surface : Glorious Series

Random : 2



# NERO ANTIQUE




Size : 600 X 1200 MM

Surface : Glorious Series

Random : 5

# ORIENTAL BLACK MARQUINA






Size : 600 X 1200 MM

Surface : Glorious Series

Random : 4

# PORTORO GOLD







Size : 600 X 1200 MM

Surface : Glorious Series

Random : 6

# SAINT LAURENT






Size : 600 X 1200 MM

Surface : Glorious Series

Random : 5

# SAINT LAURENT GOLD




Size : 600 X 1200 MM

Surface : Glorious Series

Random : 5

# SEPHORA GOLD







Size : 600 X 1200 MM

Surface : Glorious Series

Random : 4

# VEGA BLACK



Size : 600 X 1200 MM

Surface : Glorious Series

Random : 5

## TECHNICAL SPECIFICATION

| CHARACTERISTIC                           | TEST METHOD  | INTERNATIONAL STD<br>ISO 15006/EN 176 GROUP B1a       | VALUE                              |
|--|--------------|---|------------------------------------|
| <b>DIMENSION &amp; SURFACE QUALITY</b>   |              |   |                                    |
| Deviation in length                      | ISO-10545-2  | ± 0.6%  | ± 0.2%                             |
| Deviation in Thickness                   | ISO-10545-2  | ± 5%  | ± 3%                               |
| Straight of Sides                        | ISO-10545-2  | ± 0.5%  | ± 0.2%                             |
| Rectangularity                           | ISO-10545-2  | ± 0.5%  | ± 0.2%                             |
| Surface Flatness                         | ISO-10545-2  | ± 0.5%  | ± 0.2%                             |
| <b>PHYSICAL &amp; THERMAL PROPERTIES</b> |              |   |                                    |
| Water Absorption                         | ISO-10545-3  | < 0.50%   | < 0.04%                            |
| Mohs Hardness                            | EN-101       | Min.5   | Min.5                              |
| Flexural Strength                        | ISO-10545-4  | > 35N/mm <sup>2</sup>                                 | <sup>8</sup> > 40N/mm <sup>2</sup> |
| Skid Resistance (Friction Coefficient)   | ISO-10545-17 | > 0.4   | > 0.4                              |
| Breaking Strength                        | ISO-10545-11 | > 1113N   | > 1 00N                            |
| Frost Resistance                         | ISO-10545-12 | Frost Proof   | Frost Proof                        |
| Thermal Shock Resistance                 | ISO-10545-9  | No Damage   | No Damage                          |
| Noisture Expansion                       | ISO-10545-10 | NIL   | NIL                                |
| Resistance to Surface Abrasion           | ISO-10545-7  | Abrasion class shall be specified by the manufacturer | PIE IV                             |
| <b>CHEMICAL PROPERTIES</b>               |              |   |                                    |
| Chemical Resistance                      | ISO-10545-13 | No Damage   | No Damage                          |
| Color Resistance                         | ISO-10545-16 | No Damage   | <sup>8</sup> No Damage             |
| Stain Resistance                         | ISO-10545-14 | Resistant   | Resistant                          |

## PACKING DETAILS

| Dimension<br>(MM) | BOX    |          |          |               |
|-------------------|--------|----------|----------|---------------|
|                   | PIECES | Sq. Mtr. | Sq. Feet | Weight (Apx.) |
| 600X1200MM        | 2      | 1.44     | 15.50    | 27.5 Kgs.     |



# NEON TILE

## NEON TILE LLP

Corporate Office, Siromany  
Business Centre, B/H Real Plaza,  
8-A N/H, Morbi.

[www.neontile.in](http://www.neontile.in)

[info@neontile.com](mailto:info@neontile.com)

Mo. 82382 31831

# THANK YOU