


NEONTM
TILE



Experience
of natural surface...

Mfg. & Exporter Of :

- ▶ Wall Tiles
- ▶ Floor Tiles
- ▶ Vitrified Tiles
- ▶ Sanitary Wares

**HEAVY DUTY
VITRIFIED TILES
400x400MM**



About Us..

We are very pleased to interact with you and will introduce ourselves as a manufacturer of vitrified tiles by our brand. LANFORD CERAMIC PVT. LTD. and proudly providing the finest quality of vitrified tiles to our valued customers. We know very well that There is no short cut to the path of success and accordingly, we worked very hard to give quality products combined with innovation in designs to our customers, and as a result, we are having finest range of vitrified tiles in 400x400mm.

Quality and Innovation always speaks and to get better result, our R & D team continuously working in our in-house Lab to insure each and every raw material is at par of what we need for final product. There is nothing permanent in this world except CHANGE and change & progress is part of all organizations. So as another step towards innovation and progress, we are very pleased to inform you that, we are also providing Outdoor vitrified Tiles Our unique range in vitrified tiles 400x400mm .

Hence, we cordially invite you to join the "Lanford family", and be part of our success and prosperity; we know, we together can achieve anything, so let's join hands to share the success and prosperity. We promise you for the finest product and best service from our end. For further information and assistance, please feel free to contact/mail.

Thanking you and waiting for your prompt response.


Resist
The Stains


Resist
The Flexion


Dimension
Stability


Anti
Slip


Low Water
Absorption


Resist
The Wear


SLIP
RESISTANT


Suitable for
vehicle

ATIZ

UNO

CUBE

CROSS

SPIKE


extera
Collection


extera
Collection


HEAVYDUTY
VITRIFIED TILES
400 x 400 mm

EMBELLISHED 
WITH STYLE & **STRENGTH**



12mm Thickness



**SPLASH
OF STYLE
FOR YOUR
OUTDOOR
OASIS !**

Thickness
12mm



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption



Resist
The Wear



SLIP
RESISTANT




Suitable for
vehicle


Size
400x400mm

Surface
(Matt)


Thickness
12mm




3101-ATIZ EQUAL




3102-ATIZ FACE




3103-ATIZ FIND



3104-ATIZ HUNT



3105-ATIZ KIN



3106-ATIZ LUCK



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption



Resist
The Wear



SLIP
RESISTANT



Suitable for
vehicle



Preview
3101
ATIZ EQUAL

Size
400x400mm


Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)


Thickness
12mm



3107-ATIZ SCARE




3108-ATIZ SPORT




3109-ATIZ STRIKE

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



3110-ATIZ TWIN



3111-ATIZ UNIFORM



3112-ATIZ VIRTUAL



Preview
3107
ATIZ SCARE

Size
400x400mm


Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm



3201-UNO BIANCO



3202-UNO MARFIL




3203-UNO SMOKE



3204-UNO GRIS



3205-UNO BROWN



3206-UNO VELOR

- 
Resist
The Stains


Resist
The Flexion
- 
Dimension
Stability


Anti
Slip
- 
Low Water
Absorption


Resist
The Wear
- 
SLIP
RESISTANT


Suitable for
vehicle



Preview
3201
UNO BIANCO

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm




3207-UNO MOKA



3208-UNO GREY



3209-UNO BEIGE

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



3210-UNO STONE



3211-UNO GRIST



3212-UNO CHOCO



Preview
3212
UNO CHOCO

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm




3213-UNO COFFICE



3214-UNO NERO



3215-UNO STAR



3216-UNO GREEN

- 
Resist
The Stains


Resist
The Flexion
- 
Dimension
Stability


Anti
Slip
- 
Low Water
Absorption


Resist
The Wear
- 
SLIP
RESISTANT


Suitable for
vehicle



Preview
3213
UNO COFFICE

Size
400x400mm


Surface
(Matt)

Thickness
12mm


Size
400x400mm

Surface
(Matt)


Thickness
12mm




3301-CUBE BLOCK




3302-CUBE CHUNK




3303-CUBE BRWON




3304-CUBE PISTA



3305-CUBE CHOCO



3306-CUBE MEGI

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview
3302
CUBE CHUNK

Size
400x400mm


Surface
(Matt)

Thickness
12mm


Size
400x400mm

Surface
(Matt)


Thickness
12mm




3307-CUBE LOAF




3308-CUBE SOLID




3309-CUBE GREY



3310-CUBE LIGHT



3311-CUBE GRASS



3312-CUBE STONE

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview
3308
CUBE SOLID

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm




3401-CROSS BITING



3402-CROSS GRIS



3403-CROSS BROWNIE



3404-CROSS CALL



3405-CROSS CRABBY



3406-CROSS GREY

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview
3406
CROSS GREY

Size
400x400mm


Surface
(Matt)

Thickness
12mm


Size
400x400mm

Surface
(Matt)

Thickness
12mm



3407-CROSS PLUS



3408-CROSS DARK




3409-CROSS DARE


-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



3410-CROSS DIVIDE



3411-CROSS AQUA



3412-CROSS STAR



Preview
3412
CROSS STAR

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm



3501-SPIKE COTTO



3502-SPIKE GREY



3503-SPIKE NERO



3504-SPIKE RIGEL



3505-SPIKE SMOKE



3506-SPIKE BROWN

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



Preview
3502
SPIKE GREY

Size
400x400mm

Surface
(Matt)

Thickness
12mm

Size
400x400mm

Surface
(Matt)

Thickness
12mm



3507-SPIKE SANDAL



3508-SPIKE STAR



3509-SPIKE BEIGE

-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



3510-SPIKE MULTI



3511-SPIKE STONE



3512-SPIKE BLACK



Preview
3508
SPIKE STAR

Size
400x400mm


Surface
(Matt)

Thickness
12mm


Mixed Laying Suggestions




● 50%
○ 50%




● 67%
○ 33%




● 55%
○ 45%




● 75%
○ 25%




● 50%
○ 50%




● 75%
○ 25%




● 50%
○ 50%




● 84%
○ 16%



● 50%
○ 50%



● 50%
○ 50%



● 57%
○ 43%

TECHNICAL SPECIFICATION

PARTICULARS	STANDARD AS PER ISO 13006/EN 176	LANFORD VALUE	METHOD OF TESTING
PHYSICAL PROPERTIES			
Dimension	±0.1 %	±0.1 %	IS 13630-1
Deviation in Thickness	±5 %	±5 %	IS 13630-1
Straightness of sides	±0.1 %	±0.1 %	IS 13630-1
Rectangularity	±0.1 %	±0.1 %	IS 13630-1
Surface flatness	±0.5 %	±0.5 %	IS 13630-1
Surface Quality	95 % of tiles shall be free from visible defects	95 % of tiles shall be free from visible defects	IS 13630-1
CHEMICAL PROPERTIES			
Water Absorption (%)	Avg 0.08<E≤3, Individual 3.3 Max	<0.5 %	IS 13630-2
MOR (N/mm ²)	Avg 30, Individual 27 Min	Avg 30, Individual 27 Min	IS 13630-6
Breaking Strength (N)	700, Min for Thickness<7.5 mm 1100, Min for Thickness≥7.5 mm	Min 1100 N	IS 13630-6
Scratch Hardness	Min 5	Min 5	IS 13630-13
Crazing Resistance	4 cycles at 7.5 bar	No Crazing	IS 13630-9
THERMAL PROPERTIES			
Staining Resistance	class 1, Min	Resistant	IS 13630-8
House Hold chemicals	Class AA, Min	Resistant to household Chemicals except Hydrofluoric Acid	IS 13630-8
Thermal shock Resistance	Resistant to 10 Cycles	Confirms	IS 13630-5
Thermal Expansion	7x10 ⁻⁶ K ⁻¹ Max	7x10 ⁻⁶ K ⁻¹ Max	IS 13630-4

PACKING DETAILS

SIZE	THICKNESS
400x400 mm	12 mm
TILES PER BOX	COVERAGE PER BOX
5 Pcs.	0.80 Sq. Mtr.
BOX WEIGHT (APPROX)	
18 kg	

PALLET DETAILS

SIZE
400x400 mm
NO. OF BOX PER PALLET
72
SQ. MTR. PER PALLET
57.60

CONTAINER DETAILS

SIZE
400x400 mm
NO. OF PALLET IN 20' CONTAINER
21
NO. OF BOX IN 20' CONTAINER
1512
SQ.MTR. IN 20' CONTAINER
1209.6



NEON TILE LLP

Corp. Office : G24, Siromany Business Center, B/h. Real Plaza,
8-A National Highway, Morbi-363 641. (Guj.) INDIA.

Call : +91 82382 31831

E : info@neontile.in

W : www.neontile.in

Follow Us :

