


NEONTM
TILE



Experience
of natural surface...

Mfg. & Exporter Of :

- ▶ Wall Tiles
- ▶ Floor Tiles
- ▶ Vitrified Tiles
- ▶ Sanitary Wares

**HEAVY DUTY
VITRIFIED TILES
400x400MM**



About Us..

We are very pleased to interact with you and will introduce ourselves as a manufacturer of vitrified tiles by our brand. LANFORD CERAMIC PVT. LTD. and proudly providing the finest quality of vitrified tiles to our valued customers. We know very well that There is no short cut to the path of success and accordingly, we worked very hard to give quality products combined with innovation in designs to our customers, and as a result, we are having finest range of vitrified tiles in 400x400mm.

Quality and Innovation always speaks and to get better result, our R & D team continuously working in our in-house Lab to insure each and every raw material is at par of what we need for final product. There is nothing permanent in this world except CHANGE and change & progress is part of all organizations. So as another step towards innovation and progress, we are very pleased to inform you that, we are also providing Outdoor vitrified Tiles Our unique range in vitrified tiles 400x400mm .

Hence, we cordially invite you to join the "Lanford family", and be part of our success and prosperity; we know, we together can achieve anything, so let's join hands to share the success and prosperity. We promise you for the finest product and best service from our end. For further information and assistance, please feel free to contact/mail.


Thanking you and waiting for your prompt response.

poshway
Collection



HEAVYDUTY
VITRIFIED TILES
400 x 400 mm

EMBELLISHED
WITH STYLE **&** STRENGTH



12mm Thickness

PLAIN PUNCH



SPLASH OF **STYLE** FOR YOUR OUTDOOR OASIS !

Thickness
12mm


Resist
The Stains


Resist
The Flexion


Dimension
Stability


Anti
Slip


Low Water
Absorption



Resist
The Wear


SLIP
RESISTANT


Suitable for
vehicle

NEONTM
TILE

poshway
Collection



147-OPERA SKY




148-OPERA TEAL


Size
400x400mm

Surface
(Matt)

Thickness
12mm



149-ROMAN RUBY



150-ROMAN COAL



Preview
150
ROMAN COAL


Size
400x400mm

Surface
(Matt)

Thickness
12mm

NEONTM
TILE


poshway
Collection



151-MOON ROME



152-MOON PEARL



153-MOON GOLD



154-MOON VERA

Size
400x400mm

Surface
(Matt)

Thickness
12mm



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption



Resist
The Wear



SLIP
RESISTANT



Suitable for
vehicle





Preview
153
MOON GOLD

Size
400x400mm


Surface
(Matt)

Thickness
12mm


NEON™ TILE




155-CHIP CHOCK



156-CHIP BLUE



157-CHIP OLIVE



158-PPOOL SKY

Size
400x400mm

Surface
(Matt)

Thickness
12mm





Preview
156
CHIP BLUE


Size
400x400mm

Surface
(Matt)


Thickness
12mm

NEONTM
TILE

poshway
Collection



159-CROZA LINE



160-CROZA LANCER

Size
400x400mm

Surface
(Matt)

Thickness
12mm



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption



Resist
The Wear



SLIP
RESISTANT



Suitable for
vehicle



161-CROZA NATURAL



Preview
159
CROZA LINE


Size
400x400mm

Surface
(Matt)


Thickness
12mm

NEONTM
TILE


poshway
Collection



162-ANGEL COAL



163-ANGEL ASH



164-ANGEL NEO

Size
400x400mm

Surface
(Matt)

Thickness
12mm



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption




Resist
The Wear



SLIP
RESISTANT



Suitable for
vehicle



Preview
163
ANGEL ASH



Size
400x400mm

Surface
(Matt)

Thickness
12mm

NEONTM
TILE

poshway
Collection



165-POOL VINTAGE




166-ROCK COPPER

Size
400x400mm

Surface
(Matt)

Thickness
12mm

- | | | | |
|--|--|---|--|
| 
Resist
The Stains | 
Resist
The Flexion | 
Dimension
Stability | 
Anti
Slip |
| 
Low Water
Absorption | 
Resist
The Wear | 
SLIP
RESISTANT | 
Suitable for
vehicle |



167-ROCK THUNDER



Preview
165
POOL VINTAGE


Size
400x400mm

Surface
(Matt)

Thickness
12mm

NEONTM
TILE

poshway
Collection



168-PLAZA WOOD



169-PLAZE GRASS

Size
400x400mm

Surface
(Matt)

Thickness
12mm



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption



Resist
The Wear




SLIP
RESISTANT



Suitable for
vehicle



170-ESSENZA CHEX



171-ESSENZA NERO



Preview
169
PLAZA GRASS



Size
400x400mm

Surface
(Matt)


Thickness
12mm

NEONTM
TILE

poshway
Collection



172-CHEERY CHECKER








173-NERO CHECKER

Size
400x400mm


Surface
(Matt)

Thickness
12mm


-  Resist The Stains
-  Resist The Flexion
-  Dimension Stability
-  Anti Slip
-  Low Water Absorption
-  Resist The Wear
-  SLIP RESISTANT
-  Suitable for vehicle



174-PRADO BROWN



175-PRADO GREY



Preview
173
NERO CHECKER

Size
400x400mm

Surface
(Matt)


Thickness
12mm

NEONTM
TILE

poshway
Collection



176-TROY WOOD



177-GINGER TIE

Size
400x400mm

Surface
(Matt)

Thickness
12mm



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption




Resist
The Wear




SLIP
RESISTANT



Suitable for
vehicle



178-GINGER CROSS



Preview
176
TROY WOOD


Size
400x400mm

Surface
(Matt)

Thickness
12mm

NEONTM
TILE

poshway
Collection



179-GINGER RAINBOW



180 GINGER VERA

Size
400x400mm

Surface
(Matt)

Thickness
12mm



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption



Resist
The Wear



SLIP
RESISTANT



Suitable for
vehicle



181-TWIN TOOK



182-INSPEL



Preview
181
TWIN TOOK


Size
400x400mm

Surface
(Matt)


Thickness
12mm

NEONTM
TILE

poshway
Collection



183-WILD BLACK



184-SPARKLE NERO

Size
400x400mm

Surface
(Matt)

Thickness
12mm



Resist
The Stains



Resist
The Flexion



Dimension
Stability



Anti
Slip



Low Water
Absorption




Resist
The Wear




SLIP
RESISTANT




Suitable for
vehicle



185-STONZA



186-STONZA CARBON



Preview
184
SPARKLE NERO

Size
400x400mm

Surface
(Matt)


Thickness
12mm

NEONTM
TILE

poshway
Collection



187-MONO BLISS



188-MONO GRIS

Size
400x400mm

Surface
(Matt)

Thickness
12mm



189-MONO OLIVE



Preview
187
MONO BLISS

Size
400x400mm


Surface
(Matt)

Thickness
12mm


Mixed Laying Suggestions




● 50%
○ 50%




● 67%
○ 33%




● 55%
○ 45%




● 75%
○ 25%




● 50%
○ 50%




● 75%
○ 25%




● 50%
○ 50%




● 84%
○ 16%



● 50%
○ 50%



● 50%
○ 50%



● 57%
○ 43%

TECHNICAL SPECIFICATION

PARTICULARS	STANDARD AS PER ISO 13006/EN 176	LANFORD VALUE	METHOD OF TESTING
Dimension	±0.1 %	±0.1 %	IS 13630-1
Deviation in Thickness	±5 %	±5 %	IS 13630-1
Straightness of sides	±0.1 %	±0.1 %	IS 13630-1
Rectangularity	±0.1 %	±0.1 %	IS 13630-1
Surface flatness	±0.5 %	±0.5 %	IS 13630-1
Surface Quality	95 % of tiles shall be free from visible defects	95 % of tiles shall be free from visible defects	IS 13630-1
PHYSICAL PROPERTIES			
Water Absorption (%)	Avg 0.08<E≤3, Individual 3.3 Max	<0.5 %	IS 13630-2
MOR (N/mm ²)	Avg 30, Individual 27 Min	Avg 30, Individual 27 Min	IS 13630-6
Breaking Strength (N)	700, Min for Thickness<7.5 mm 1100, Min for Thickness≥7.5 mm	Min 1100 N	IS 13630-6
Scratch Hardness	Min 5	Min 5	IS 13630-13
Crazing Resistance	4 cycles at 7.5 bar	No Crazing	IS 13630-9
CHEMICAL PROPERTIES			
Staining Resistance	class 1, Min	Resistant	IS 13630-8
House Hold chemicals	Class AA, Min	Resistant to household Chemicals except Hydrofluoric Acid	IS 13630-8
THERMAL PROPERTIES			
Thermal shock Resistance	Resistant to 10 Cycles	Confirms	IS 13630-5
Thermal Expansion	7x10 ⁻⁶ K ⁻¹ Max	7x10 ⁻⁶ K ⁻¹ Max	IS 13630-4

PACKING DETAILS

SIZE	THICKNESS
400x400 mm	12 mm
TILES PER BOX	COVERAGE PER BOX
5 Pcs.	0.80 Sq. Mtr.
BOX WEIGHT (APPROX)	
18 kg	

PALLET DETAILS

SIZE
400x400 mm
NO. OF BOX PER PALLET
72
SQ. MTR. PER PALLET
57.60

CONTAINER DETAILS

SIZE
400x400 mm
NO. OF PALLET IN 20' CONTAINER
21
NO. OF BOX IN 20' CONTAINER
1512
SQ.MTR. IN 20' CONTAINER
1209.6



NEON TILE LLP

Corp. Office : G24, Siromany Business Center, B/h. Real Plaza,
8-A National Highway, Morbi-363 641. (Guj.) INDIA.

Call : +91 82382 31831

E : info@neontile.in

W : www.neontile.in

Follow Us :

