


**NEON**<sup>TM</sup>  
TILE



**Experience**  
of natural surface...

**Mfg. & Exporter Of :**

- ▶ Wall Tiles
- ▶ Floor Tiles
- ▶ Vitrified Tiles
- ▶ Sanitary Wares

**HEAVY DUTY  
VITRIFIED TILES  
400x400MM**



## About Us..

We are very pleased to interact with you and will introduce ourselves as a manufacturer of vitrified tiles by our brand. LANFORD CERAMIC PVT. LTD. and proudly providing the finest quality of vitrified tiles to our valued customers. We know very well that There is no short cut to the path of success and accordingly, we worked very hard to give quality products combined with innovation in designs to our customers, and as a result, we are having finest range of vitrified tiles in 400x400mm.

Quality and Innovation always speaks and to get better result, our R & D team continuously working in our in-house Lab to insure each and every raw material is at par of what we need for final product. There is nothing permanent in this world except CHANGE and change & progress is part of all organizations. So as another step towards innovation and progress, we are very pleased to inform you that, we are also providing Outdoor vitrified Tiles Our unique range in vitrified tiles 400x400mm .

Hence, we cordially invite you to join the "Lanford family", and be part of our success and prosperity; we know, we together can achieve anything, so let's join hands to share the success and prosperity. We promise you for the finest product and best service from our end. For further information and assistance, please feel free to contact/mail.


Thanking you and waiting for your prompt response.

**poshway**  
*Collection*



**HEAVYDUTY**  
VITRIFIED TILES  
400 x 400 mm

**EMBELLISHED**   
**WITH STYLE** & **STRENGTH**



**12mm** Thickness

**PLAIN PUNCH**



# SPLASH OF **STYLE** FOR YOUR OUTDOOR OASIS !

Thickness  
**12mm**



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption




Resist  
The Wear



SLIP  
RESISTANT



Suitable for  
vehicle



236-SERBIA BEIGE



237-SERBIA CHOCO

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



238-SERBIA BLUE



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption




Resist  
The Wear



SLIP  
RESISTANT



Suitable for  
vehicle



Preview  
**238**  
**SERBIA BLUE**

Size  
**400x400mm**

Surface  
**(Matt)**


Thickness  
**12mm**




241-LINUS BEIGE



242-LINUS GRIS



243-LINUS GRAY



244-LINUS BLUE

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption



Resist  
The Wear



SLIP  
RESISTANT



Suitable for  
vehicle



Preview  
**244**  
**LINUS BLUE**

Size  
**400x400mm**


Surface  
**(Matt)**

Thickness  
**12mm**





245-SLATE NERO



246-SLATE CEMENTO

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption



Resist  
The Wear



SLIP  
RESISTANT



Suitable for  
vehicle



247-SLATE NERO




Preview  
**245**  
**SLATE NERO**


Size  
**400x400mm**

Surface  
**(Matt)**


Thickness  
**12mm**



248-TOAST BROWN



249-TOAST BEIGE



250-TOAST COFFE

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption




Resist  
The Wear




SLIP  
RESISTANT



Suitable for  
vehicle



251-TOAST GRAY



252-TOAST BLUE




Preview  
**249**  
**TOAST BEIGE**


Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



255-MERIDIAN BEIGE



256-MERIDIAN CREMA



257-MERIDIAN CHOCO



258-MERIDIAN GREEN

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption



Resist  
The Wear



SLIP  
RESISTANT



Suitable for  
vehicle



Preview  
**257**  
**MERDIAN CHOCO**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



259-MOXY BROWN



260-MOXY SKY

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption



Resist  
The Wear



SLIP  
RESISTANT




Suitable for  
vehicle



261-INKA HOLA



262-INKA MINK




Preview  
**260**  
**MOXY SKY**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**






263-MOSAIC BROWN



264-MOSAIC GRAY



265-NATURA BROWN




266-NATURA AQUA

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**






Preview  
**266**  
**NATURA AQUA**


Size  
**400x400mm**

Surface  
**(Matt)**


Thickness  
**12mm**



267-AMAZON BROWN



268-AMAZON BEIGE



269-AMAZON CHOCO

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption




Resist  
The Wear




SLIP  
RESISTANT



Suitable for  
vehicle



270-AMAZON SKY



271-AMAZON GRIS



Preview  
**267**  
**AMAZON BROWN**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**

**NEON**<sup>TM</sup>  
TILE

**poshway**  
*Collection*



272-SPACE COFFEE




273-SPACE GREY

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



274-SPACE BLUE



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption



Resist  
The Wear



SLIP  
RESISTANT



Suitable for  
vehicle



Preview  
**272**  
**SPACE COFFEE**

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**

**NEON**<sup>TM</sup>  
TILE

**poshway**  
*Collection*



275-GOLDEN SMOKE



276-GOLDEN GRIS

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption



Resist  
The Wear



SLIP  
RESISTANT



Suitable for  
vehicle




Preview  
**276**  
**GOLDEN GRIS**

Size  
**400x400mm**


Surface  
**(Matt)**

Thickness  
**12mm**





277-WHITE SKY



284-TELIPHONA GREY


Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



285-TELIPHONA SKY



Preview  
**234**  
TELIPHONA GREY


Size  
**400x400mm**

Surface  
**(Matt)**


Thickness  
**12mm**

**NEON**<sup>TM</sup>  
TILE

**poshway**  
*Collection*



278-HARTWOOD ARENA



279-HARTWOOD AZUL

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**



Resist  
The Stains



Resist  
The Flexion



Dimension  
Stability



Anti  
Slip



Low Water  
Absorption




Resist  
The Wear




SLIP  
RESISTANT



Suitable for  
vehicle



280-IRAZU BAIGE



281-MATRIX WOOD



Preview  
**234**  
HARTWOOD ARENA

Size  
**400x400mm**

Surface  
**(Matt)**


Thickness  
**12mm**

**NEON**<sup>TM</sup>  
TILE

**poshway**  
*Collection*



282-SNOW BROWN



283-SNOW BEIGE

Size  
**400x400mm**

Surface  
**(Matt)**

Thickness  
**12mm**





Preview  
**283**  
**SNOW BEIGE**

Size  
**400x400mm**


Surface  
**(Matt)**

Thickness  
**12mm**


# Mixed Laying Suggestions




● 50%  
○ 50%




● 67%  
○ 33%




● 55%  
○ 45%




● 75%  
○ 25%




● 50%  
○ 50%




● 75%  
○ 25%




● 50%  
○ 50%




● 84%  
○ 16%



● 50%  
○ 50%



● 50%  
○ 50%



● 57%  
○ 43%

# TECHNICAL SPECIFICATION

PARTICULARS	STANDARD AS PER ISO 13006/EN 176	LANFORD VALUE	METHOD OF TESTING
<b>PHYSICAL PROPERTIES</b>			
Dimension	±0.1 %	±0.1 %	IS 13630-1
Deviation in Thickness	±5 %	±5 %	IS 13630-1
Straightness of sides	±0.1 %	±0.1 %	IS 13630-1
Rectangularity	±0.1 %	±0.1 %	IS 13630-1
Surface flatness	±0.5 %	±0.5 %	IS 13630-1
Surface Quality	95 % of tiles shall be free from visible defects	95 % of tiles shall be free from visible defects	IS 13630-1
<b>CHEMICAL PROPERTIES</b>			
Water Absorption (%)	Avg 0.08<E≤3, Individual 3.3 Max	<0.5 %	IS 13630-2
MOR (N/mm <sup>2</sup> )	Avg 30, Individual 27 Min	Avg 30, Individual 27 Min	IS 13630-6
Breaking Strength (N)	700, Min for Thickness<7.5 mm 1100, Min for Thickness≥7.5 mm	Min 1100 N	IS 13630-6
Scratch Hardness	Min 5	Min 5	IS 13630-13
Crazing Resistance	4 cycles at 7.5 bar	No Crazing	IS 13630-9
<b>THERMAL PROPERTIES</b>			
Staining Resistance	class 1, Min	Resistant	IS 13630-8
House Hold chemicals	Class AA, Min	Resistant to household Chemicals except Hydrofluoric Acid	IS 13630-8
Thermal shock Resistance	Resistant to 10 Cycles	Confirms	IS 13630-5
Thermal Expansion	7x10 <sup>-6</sup> K <sup>-1</sup> Max	7x10 <sup>-6</sup> K <sup>-1</sup> Max	IS 13630-4

# PACKING DETAILS

SIZE	THICKNESS
400x400 mm	12 mm
TILES PER BOX	COVERAGE PER BOX
<b>5 Pcs.</b>	<b>0.80 Sq. Mtr.</b>
BOX WEIGHT (APPROX)	
18 kg	

# PALLET DETAILS

SIZE
400x400 mm
NO. OF BOX PER PALLET
<b>72</b>
SQ. MTR. PER PALLET
<b>57.60</b>

# CONTAINER DETAILS

SIZE
400x400 mm
NO. OF PALLET IN 20' CONTAINER
<b>21</b>
NO. OF BOX IN 20' CONTAINER
<b>1512</b>
SQ.MTR. IN 20' CONTAINER
<b>1209.6</b>





## NEON TILE LLP

Corp. Office : G24, Siromany Business Center, B/h. Real Plaza,  
8-A National Highway, Morbi-363 641. (Guj.) INDIA.

Call : +91 82382 31831

E : [info@neontile.in](mailto:info@neontile.in)

W : [www.neontile.in](http://www.neontile.in)

Follow Us :

